## <u>Seting Koneksi jsp dengan Oracle 9i</u>

Langkah-langkah yang harus dilakukan untuk koneksi file jsp dengan oracle antara lain:

1. Siapkan file ojdbc14.jar, Setelah tersedia file tersebut buka Netbeans IDE 6.0 . Setelah new project, cari libraries seperti gambar di bawah ini:



2. Klik kanan **libraries** → pilih **add JAR/ Folder**, browse lokasi penyimpanan file ojdbc14.jar



3. Setelah lokasi ditemukan pilih file ojdbc14.jar, klik open.

<b>D</b> i Eile	ajal - NetBeans IDE 6.0.1	a Defactor Build Dun Drofila Varianian Toda Window Hala	X				
Prie zait view Navigade source Refactor build Run Profile Versioning roots window Help							
Navigator TFles ell Services	Projects Project	<pre>     Connection x = index.isp x = index</pre>	J Palette       ▶ ×            ● HTML       ● HTML            ● HTML       ● HTML            ● JSP        JSE Bean            ◎ JSE Get Bean Property          ◎ Set Bean Property            ◎ JSTL If           ○ STL IF             ◇ JSTL For Each          ● JSF             ♥ Database				
	J HTTP Monitor	Permet Casting Casting Contact Class and Casting Unadard	₹×				
	All Records	Conves   Conves   Session   Context   Client and Server   Headers					
	JUnit Test Results 🔁 Ou	itput					
<u>11</u> 9	start 🥖 🛗 🥹 » 🙆 isp	o 🔞 Yahool M 🕞 index.;isp 🏠 SYSTEM (C:) 🥥 Macromed 🤡 SharedDo 🚺 jajal - Ne 💓 2.3PG - Paint 🤘	🏷 🛃 😪 😏 22:46				

4. Setelah itu maka akan ada ojdbc14.jar yang tampil di libraries. Selanjtunya klik kanan file koneksi.jsp → pilih run file

jajal - NetBeans IDE 6.0	0.1		X
ile Edit View Navigate	Source Refactor Build Run Pr	ofile Versioning Tools Window Help	
19 🔁 😫 🖕	😹 👆 📋 🏓 🥐   🖻	default config> 🔄 🍟 🤯 🖒 🖽 * 🕞 *	
Projects Projec	Image: Second	<pre>def add comps if formabsen jsp x</pre>	Palette V X H HTML HTML Forms 55P Use Bean Get Bean Property Set Bean Property JSTL Choose JSTL If JSTL For Each H JSF Database
HTTP Monitor	Add: Delete Delete Rename Save As Template Tools Properties	ookies   Session   Context   Client and Server   Headers	

5. Maka setelah diproses di netbeans, selanjutnya kan tampil dibrowser seperti gambar di bawah ini:

💛 Koneksi Database - Mozilla Firefox 📃 🗗 🗶						
Eile Edit Yiew History Bookmarks Iools Help	• • • • • • • • • • • • • • • • • • •					
C X 🏠 http://localhost:8080/jaja/index.jsp	ि Google					
Facebook   Home 🛛 🕥 Jsp Konthitional http://localhost:8080/jsjal/index.jsp 🗋 Login Keanggotaan 📄 Registrasi Keang	🚹 Konfirmasi Baran 🛛 🏆 (2 belum dibaca) 🎦 Koneksi Da 🗵 🔹					
Koneksi ke database Berhasil						



6. Ini ada file koneksi.jsp untuk mencoba konek ke database oracle 9i.

```
<% @ page import="java.sql.*" %>
<% String status=null;
  String ora="jdbc:oracle:thin:@10.93.56.220:1521:server";
      Class.forName("oracle.jdbc.driver.OracleDriver");
    Connection
con=DriverManager.getConnection(ora,"onishuya","polerg");
   if (con==null)
      status = "Gagal";
   else
      status = "Berhasil";
%>
<HTML>
<HEAD>
  <TITLE>Koneksi Database</TITLE>
</HEAD>
<BODY>
   Koneksi ke database <%=status%>
</BODY>
</HTML>
```

Jika menggunakan **Tomcat**, maka di dalam folder **web-inf** buat folder lagi dengan nama **classes**, kemudian masukan file **ojdbc14.jar** di folder tersebut dan jangan lupa extract disitu.

## ....:::SELAMAT MENCOBA::::.....